

## DSS-CW02 PROBE WIPES – SAFETY DATA SHEET

In accordance with REACH regulations 1907/2006/EC as amended by 453/2010/EC

Product CW02 Probe Wipes  
 Version Version 4  
 Date 21/05/2018  
 Supersedes Version 3: Dated 23/03/2015

### Section 1.0: Identification of the substance/ preparation and of the Company/ undertaking

1.1 Product Identifier CW02 Probe Wipes

Other means of identification ETPW200

1.2 Relevant identified uses of the substance or mixture and use advised against

Uses: A wet wipe for use in all food preparation areas for the wiping of food probes.

Not to be used for:

1.3 Details of the samples of the Safety Data Sheet

Company Name: Klipspringer Ltd

Address: Rynor House  
 Farthing Road  
 Ipswich  
 Suffolk  
 IP1 5AP

Telephone: +44 (0)1473 461800

Fax: +44 (0)1473 747200

Email: Sales@klipspringer.com

Website: [www.Klipspringer.com](http://www.Klipspringer.com)


### Section 2.0: Hazards Identification

2.1 Classification of the substance or mixture

-67/548/EC F; R11 Xi; R36 R67  
 Symbols: F: Highly flammable. Xi: Irritant.  
**Main Hazards.** Highly flammable. Irritating to eyes.  
 -EC 1272/2008 Flam. Liq. 2:H225; Eye Irrit. 2:H319; STOT SE 3:H336;

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 1 of 9	

## 2.2 Label elements



<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Flam. Liq. 2:H225 – Highly flammable liquid and vapour Eye Irrit. 2:H319 – May cause eye irritation
<b>Precautionary Statement: Prevention</b>	P102 – Keep out of reach of children P103 – Read label before use P233 – Keep container tightly closed
<b>Precautionary Statement: Response</b>	P101 – If medical advice is needed, have product container or label to hand P301+P312 – IF SWALLOWED: Call a POISON CENTRE or Doctor/Physician if you feel unwell P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 – Call a POISON CENTRE or doctor/ physician if you feel unwell. P370+P378 – In case of fire. Use extinguishing media appropriate to the surrounding fire conditions. Alcohol resistant foam, carbon dioxide (CO <sub>2</sub> ) for extinction.
<b>Precautionary Statement: Storage</b>	P403+P233 – Store in a well-ventilated place. Keep container tightly closed. P403+P235 – Store in a well-ventilated place. Keep cool.
<b>Precautionary Statement: Disposal</b>	P501 – Dispose of contents / container to a licensed waste disposal company in compliance with local and national regulations.

2.3 Other hazards This product does not contain any PBT or VPvB substances.

## Section 3.0: Composition / Information on Ingredients

### 3.1 Substances

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropnol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		60-70%	F; R11 Xi; R36 R67

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropnol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		60-70%	Fla., Liq. 2 H225; Eye Irrit. 2: H319; STOT SE 3: H336;

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 2 of 9	

- 3.2 **Mixtures** See section 3.1 for further information  
**Further information** For full text of H-statements and R-phrases: see SECTION 16.

## Section 4.0: First Aid Measures

### 4.1 Description of first aid measures

- Inhalation** Inhalation is highly unlikely due to liquid impregnated on a fabric substrate, therefore considered to be not hazardous by inhalation. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation or symptoms persist.
- Eye contact** Eye contact is unlikely due to liquid impregnated on a fabric substrate. Remove the affected person from the source of contamination immediately. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
- Skin contact** No Irritation to the skin expected. Seek medical attention if irritation or symptoms persist.
- Ingestion** Ingestion is highly unlikely due to liquid impregnated on a fabric substrate. Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

### 4.2 Most important symptoms and effects, both acute and delayed

- Inhalation** Vapours may cause drowsiness and dizziness
- Eye contact** Causes serious eye irritation.
- Skin contact** No specific symptoms noted
- Ingestion** No specific symptoms noted.

### 4.3 Indication of any

- immediate medical attention and special treatment needed** If you feel unwell, seek medical advice (show the label where possible). No specific first aid measures noted.

## Section 5.0: Firefighting Measures

- 5.1 **Extinguishing media** This product is not flammable. Use extinguishing media appropriate to the surrounding fire conditions.
- 5.2 **Special hazards arising from the substance or mixture** In the event of a large fire toxic fumes containing oxides of carbon may be formed, which would necessitate the use of a self-contained breathing apparatus. Vapour may travel considerable distance to source if ignition and flash back.
- 5.3 **Advice for Firefighters** Wear protective gloves / protective clothing / eye protection / face protection. Wear suitable respiratory equipment when necessary. Avoid breathing dust / fumes / gas / mist / vapours / spray. Ground / bond container and receiving equipment. Keep away from heat / sparks / open fires / hot surfaces. – No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Use explosion-proof electrical / ventilating / lighting/ equipment. Use only non-sparking tools. Use only

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 3 of 9	

outdoors or in a well-ventilated area. Wear protective gloves / protective clothing / eye protection / face protection.

## Section 6.0: Accidental Release Measures

- 6.1 **Personal precautions, protective equipment and emergency procedures**      Avoid contact of the fluid with the eyes.
  
- 6.2 **Environmental Precautions**      Large spillages are highly unlikely due to liquid impregnated on a fabric substrate. Advise local authorities if large spills cannot be contained. Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.
  
- 6.3 **Methods and material for containment and cleaning Up**      Large spillages are highly unlikely due to liquid impregnated on a fabric substrate. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
  
- 6.4 **Reference to other sections**      For recommended personal protective equipment see Section 8. For disposal see Section 13.

## Section 7.0: Handling and Storage

- 7.1 **Precautions for safe Handling**      Adopt best Manual Handling considerations when handling, carrying and dispensing
  
- 7.2 **Conditions for safe storage, including any incompatibilities**      Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Do NOT allow to freeze.
  
- 7.3 **Specific end use**      No relevant information available

## Section 8.0: Exposure Controls / Personal Protection

- 8.1 **Control parameters**      The product is impregnated onto a fabric substrate so free liquid will not be available and exposure significantly mitigated.
  
- 8.1.1 **Exposure Limit Values**

Isopropanol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
(Propan-2-pl	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
Methanol	WEL 8-Hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015	Document No.	DSS-CW02	Page 4 of 9		

- 8.2 Exposure controls
- 8.2.1 Appropriate engineering Controls None.
- 8.2.2 Individual protection measures None
- 8.2.3 Environmental exposure controls Do not empty into drains. Do not flush into surface water. Prevent further spillage if safe.
- 8.2.3. Further information Information valid at the time of review of safety data sheet.

## Section 9.0: Physical and Chemical Properties

- 9.1 Information on basic physical and chemical properties
- a Appearance: Blue or white nonwoven fabric impregnated with a colourless solution.
- b Odour: Unfragranced but characteristic alcoholic odour.
- c Odour threshold: Not available.
- d pH: Not available.
- e Melting point / freezing point: Not available.
- f Initial boiling point and boiling range: Not available.
- g Flash point: 18°C.
- h Evaporation rate: Not available.
- i Flammability (solid, gas): Not applicable.
- j Upper / lower flammability or explosive limits: Not available.
- k Vapour pressure: Not available.
- l Vapour density: Not available.
- m Relative density: 0.83 – 0.89
- n Solubility(ies): Impregnating fluid completely soluble / miscible with water.
- o Partition coefficient: n-octanol / water: Completely miscible with water
- p Auto-ignition temperature: Not available
- q Decomposition temperature: Not available
- r Viscosity: Water thin.
- s Explosive properties: Not available.
- t Oxidising properties: Not available.
- 9.2 Other information None available.

## Section 10.0: Stability and Reactivity

- 10.1 Reactivity Avoid sparks, flames, heat and sources of ignition
- 10.2 Chemical Stability Stable under normal conditions. Will not decompose if stored and used as recommended.

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 5 of 9	

10.3	<b>Possibility of hazardous reactions</b>	Strong acids and Strong bases. Strong oxidising agents.
10.4	<b>Conditions to avoid</b>	Heat, sparks, open flames. Do NOT allow to freeze.
10.5	<b>Incompatible Materials</b>	Strong acids and Strong bases. Strong oxidising agents.
10.6	<b>Hazardous Decomposition Products</b>	Burning produces irritating, toxic and obnoxious fumes.

## Section 11.0: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity	Based on available data the classification criteria are not met.
Skin corrosion / irritation	Based on available data the classification criteria are not met.
Serious eye damage / irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	No mutagenic effects reported
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.
STOT-single Exposure	May cause drowsiness and dizziness.
STOT-repeated Exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	Based on available data the classification criteria are not met.

### 11.1.4 Toxicological Information

Isopropanol	Inhalation Rat LC50/4 h: 30 mg/l Dermal Rabbit LD50: 12800 mg/kg	Oral Rat LD50: 5045 mg/kg
Methanol	Inhalation RAT LC50/4 h: 128.2 mg/l Dermal Rabbit LD50: 17100 mg/Kg	Oral Rat LD50: >1187 mg/Kg

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 6 of 9	

## Section 12.0: Ecological Information

12.1	Toxicity not	Based on the ingredients present and their concentrations this preparation is expected to be hazardous to aquatic organisms.
12.2	Persistence and degradability	The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in the Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
12.3	Bio accumulative Potential	No data available.
12.4	Mobility in soil	This product is soluble in water.
12.5	Results of PBT and vPvB assessment	The product does not contain any PBT or vPvB substances.
12.6	Other adverse effects	Not known.

## Section 13.0: Ecological Information

13.1	Waste treatment methods	Contact a licensed waste disposal company. Dispose of as special waste in compliance with local and national regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
------	-------------------------	---

## Section 14.0: Transport Information

14.1	UN number	- UN3175	Hazard Pictograms	
14.2	UN proper shipping Name	- FLAMMABLE LIQUID, N.O.S..		
14.3	Transport hazard class(es)	This preparation is not classified as "Hazardous" for transport.  ADR/RID                    3 Subsidiary Risk           - IMDG                         3 Subsidiary Risk           - IATA                         3 Subsidiary Risk           -		
14.4	Packing group	II		

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 7 of 9	

- 14.5 Environmental Hazards No
- Marine Pollutant No
- 14.6 Special precautions for user Not applicable
- 14.7 Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC Code Not applicable

ADR/RID  
Hazard ID 33  
Tunnel Category (D/E)

IMDG  
EmS Code F-E-S-E

IATA  
Packaging Instruction (Cargo) 354  
Maximum quantity 60L  
Packaging instruction (Passenger) 353  
Maximum quantity 5L

## Section 15.0: Regulatory Information

- 15.1 **Safety, health and Environmental regulations / legislation specific for the substance or mixture** Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments(EC). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation(EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.
- 15.2 **Chemical safety Assessment** No assessment has been carried out.

## Section 16.0: Other Information

Text of risk phrases In section 3 R11 - Highly flammable.  
R36 – Irritating to eyes

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 8 of 9	

**Text of Hazard Statements  
In section 3**

Flam. Liq. 2: H225 – Highly flammable liquid and vapour  
 Eye Irrit. 2: H319 – Causes serious eye irritation  
 STOT SE 3: H336 – May cause drowsiness or dizziness

**Glossary  
by Road**

ADR European Agreement concerning the International Carriage of Dangerous Goods  
 IATA International Air Transport Association  
 IMDG International Maritime Dangerous Goods  
 PBT Persistent, bio accumulative, toxic  
 RID Convention concerning International Carriage by Rail  
 vPvB Very Persistent, Very Bio accumulative  
 STOT Specific Target Organ Toxicity  
 WEL Workplace Exposure Limit

**General Information**

No relevant information available

**Further Information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. It is the user's responsibility to satisfy him/herself as to the suitability of such information for his /her own particular use.

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW02	Page 9 of 9	