

DSS-CW03 SURFACE DISINFECTANT WIPES – SAFETY DATA SHEET

In accordance with REACH regulations 1907/2006/EC as amended by 453/2010/EC

Product CW03 Surface Disinfectant Wipes
 Version Version 4
 Date 21/05/2018
 Supersedes Version 3: Dated 23/03/2018

Section 1.0: Identification of the substance/ preparation and of the Company/ undertaking

1.1 Product Identifier CW03 Surface Disinfectant Wipes

Other means of identification ETSD200

1.2 Relevant identified uses of the substance or mixture and use advised against

Uses: A wet wipe with biocidal activity for use in all food preparation areas for cleaning and disinfecting surfaces etc. Effective against MRSA, C-Diff & H1N1.

Not to be used for:

1.3 Details of the samples of the Safety Data Sheet

Company Name: Klipspringer Ltd

Address: Rynor House
 Farthing Road
 Ipswich
 Suffolk
 IP1 5AP

Telephone: +44 (0)1473 461800
 Fax: +44 (0)1473 747200
 Email: Sales@klipspringer.com
 Website: www.Klipspringer.com

Section 2.0: Hazards Identification

2.1 Classification of the substance or mixture

-EC 1272/2008 : H315; Eye Irrit. 2:H319;

2.2 Label elements



Signal Word Warning

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 1 of 9	

Hazard Statement Eye Irrit. 2:H319 – May cause eye irritation

Precautionary Statement: P102 – Keep out of reach of children
P103 – Read label before use
Prevention

Precautionary Statement: Response P101 – If medical advice is needed, have product container or label to hand
P301+P312 – IF SWALLOWED: Call a POISON CENTRE or Doctor/Physician if you feel unwell
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P321 – Specific treatment (see on this label).
P332+P313 – If skin irritation occurs: Get medical advice / attention.
P337+P313 – If eye irritant persists: Get medical advice / attention.

2.3 Other hazards This product does not contain any PBT or VPvB substances.

Section 3.0: Composition / Information on Ingredients

3.1 Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
<i>Didecyldimethyl Ammonium chloride</i>	612-131-00-6	7173-51-5	230-525-2		1-10%	Xn; R22 C;
<i>Isopropnol (Propan-2-ol)</i>	603-117-00-0	67-63-0	200-661-7		10-20%	F; R11 Xi; R36 R67

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
<i>Didecyldimethyl Ammonium chloride</i>	612-131-00-6	7173-51-5	230-525-2		1-10%	Acute Tox 4; H302; Skin Corr. 1B; H314;
<i>Isopropnol (Propan-2-ol)</i>	603-117-00-0	67-63-0	200-661-7		10-20%	Fla., Liq. 2 H225; Eye Irrit. 2: H319; STOT SE 3: H336;

3.2 Mixtures See section 3.1 for further information
Further information For full text of H-statements and R-phrases: see SECTION 16.

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 2 of 9	

Section 4.0: First Aid Measures

4.1 Description of first aid measures

- Inhalation Inhalation is highly unlikely due to liquid impregnated on a fabric substrate, therefore considered to be not hazardous by inhalation. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation or symptoms persist.

- Eye contact Eye contact is unlikely due to liquid impregnated on a fabric substrate. Remove the affected person from the source of contamination immediately. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.

- Skin contact No Irritation to the skin expected. Seek medical attention if irritation or symptoms persist.

- Ingestion Ingestion is highly unlikely due to liquid impregnated on a fabric substrate. Rinse mouth thoroughly. **DO NOT INDUCE VOMITING.** Seek medical attention if irritation or symptoms persist.

4.2 Most important symptoms and effects, both acute and delayed

- Inhalation Vapours may cause drowsiness and dizziness

- Eye contact Causes serious eye irritation.

- Skin contact No specific symptoms noted

- Ingestion No specific symptoms noted.

4.3 Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible). No specific first aid measures noted.

Section 5.0: Firefighting Measures

- 5.1 **Extinguishing media** This product is not flammable. Use extinguishing media appropriate to the surrounding fire conditions.

- 5.2 **Special hazards arising from the substance or mixture** In the event of a large fire toxic fumes containing oxides of carbon may be formed, which would necessitate the use of a self-contained breathing apparatus.

- 5.3 **Advice for Firefighters** Standard protective equipment should be worn by firefighters, in particular eye / face protection.

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 3 of 9	

Section 6.0: Accidental Release Measures

- 6.1 **Personal precautions, protective equipment and emergency procedures** Large spillages are highly unlikely due to liquid impregnated on fabric substrate. Avoid contact of the impregnated fluid with eyes.
- 6.2 **Environmental Precautions** Large spillages are highly unlikely due to liquid impregnated on a fabric substrate. Advise local authorities if large spills cannot be contained. Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.
- 6.3 **Methods and material for containment and cleaning up** Large spillages are highly unlikely due to liquid impregnated on a fabric substrate. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
- 6.4 **Reference to other sections** For recommended personal protective equipment see Section 8. For disposal see Section 13.

Section 7.0: Handling and Storage

- 7.1 **Precautions for safe Handling** Avoid contact with eyes. Adopt best Manual Handling. Considerations when handling, carrying and dispensing.
- 7.2 **Conditions for safe storage, including any incompatibilities** Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Do NOT allow to freeze.
- 7.3 **Specific end use** No relevant information available

Section 8.0: Exposure Controls / Personal Protection

- 8.1 **Control parameters** The product is impregnated onto a fabric substrate so free liquid will not be available and exposure significantly mitigated.
- 8.1.1 **Exposure Limit Values**

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
- 8.2 **Exposure controls**
- 8.2.1 **Appropriate engineering Controls** Keep in a cool, dry, well ventilated area
- 8.2.2 **Individual protection measures** None

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015	Document No.	DSS-CW03	Page 4 of 9		

- 8.2.3 Environmental exposure controls** Do not empty into drains. Do not flush into surface water. Prevent further spillage if safe.
- 8.2.3. Further information** Information valid at the time of review of safety data sheet.

Section 9.0: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

a	Appearance:	Blue or white nonwoven fabric impregnated with a colourless solution.
b	Odour:	Unfragranced but characteristic alcoholic odour.
c	Odour threshold:	Not available.
d	pH:	Not available.
e	Melting point / freezing point:	Approximately 0°C.
f	Initial boiling point and boiling range:	Approximately 100°C.
g	Flash point:	41°C.
h	Evaporation rate:	Not available.
i	Flammability (solid, gas):	Not applicable.
j	Upper / lower flammability or explosive limits:	Not available.
k	Vapour pressure:	Not available.
l	Vapour density:	Not available.
m	Relative density:	Approximately 1.00.
n	Solubility(ies):	Impregnating fluid completely soluble / miscible with water.
o	Partition coefficient: n-octanol / water:	Completely miscible with water
p	Auto-ignition temperature:	Not available
q	Decomposition temperature:	Not available
r	Viscosity:	Water thin.
s	Explosive properties:	Not available.
t	Oxidising properties:	Not available.

- 9.2 Other information** None available.

Section 10.0: Stability and Reactivity

- 10.1 Reactivity** This preparation is stable normal conditions of storage / use and no chemical incompatibility is known.
- 10.2 Chemical Stability** Stable under recommended storage and handling conditions. This product is not flammable.
- 10.3 Possibility of hazardous reactions** Strong acids and Strong bases. Strong oxidising agents.
- 10.4 Conditions to avoid** Avoid excessive heat. Do NOT allow to freeze

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 5 of 9	

- 10.5 **Incompatible Materials** Strong acids and Strong bases. Strong oxidising agents.
- 10.6 **Hazardous Decomposition Products** Combustion of the product will generate toxic fumes containing oxides of carbon. may be formed

Section 11.0: Toxicological Information

11.1 Information on toxicological effects

- Acute toxicity Based on available data the classification criteria are not met.
- Skin corrosion / May cause Irritation to skin.
- Serious eye damage / irritation May cause eye irritation.
- Respiratory or skin sensitisation Based on available data the classification criteria are not met.
- Germ cell mutagenicity No mutagenic effects reported
- Carcinogenicity No carcinogenic effects reported.
- Reproductive toxicity No teratogenic effects reported.
- STOT-single Exposure May cause drowsiness and dizziness.
- STOT-repeated Exposure Not classified as a specific target organ toxicant after repeated exposure.
- Aspiration hazard Based on available data the classification criteria are not met.

11.1.4 Toxicological Information

- Didecyldimethyl Ammonium chloride Dermal RAT LD50: >2000 mg/Kg Oral Rat LD50: 658mg/Kg
- Isopropanol Inhalation Rat LC50/4 h: 30 mg/l Oral Rat LD50: 5045 mg/kg
- Dermal Rabbit LD50: 12800 mg/kg

Section 12.0: Ecological Information

- 12.1 **Toxicity** Based on the ingredients present and their concentrations this preparation is not expected to be hazardous to aquatic organisms.

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 6 of 9	

12.2	Persistence and degradability	The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in the Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
12.3	Bio accumulative Potential	No data available.
12.4	Mobility in soil	Expected to remain in water or migrate through soil.
12.5	Results of PBT and vPvB assessment	The product does not contain any PBT or vPvB substances.
12.6	Other adverse effects	Not known.

Section 13.0: Ecological Information

13.1	Waste treatment methods	Contact a licensed waste disposal company. Dispose of as special waste in compliance with local and national regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
------	--------------------------------	---

Section 14.0: Transport Information

14.1	UN number	-
14.2	UN proper shipping Name	-
14.3	Transport hazard class(es)	Tis preparation is not classified as "Hazardous" for transport purposes.
14.4	Packing group	-
14.5	Environmental Hazards	-
14.6	Special precautions for user	Not applicable
14.7	Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC Code	Not applicable

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 7 of 9	

Section 15.0: Regulatory Information

- 15.1 Safety, health and Environmental regulations / legislation specific for the substance or mixture**
 Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments(EC). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation(EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.
- 15.2 Chemical safety Assessment**
 No assessment has been carried out.

Section 16.0: Other Information

- Text of risk phrases In section 3**
 R11 - Highly flammable.
 R22 – Harmful if swallowed.
 R34 – Causes burns
 R36 – Irritating to eyes
 R37 – Vapours may cause drowsiness and dizziness
- Text of Hazard Statements In section 3**
 Acute Tox. 4: H302 – Harmful if swallowed.
 Skin Corr. 1B: H314 – Causes severe skin burns and eye damage.
 Flam. Liq. 2: H225 – Highly flammable liquid and vapour
 Eye Irrit. 2: H319 – Causes serious eye irritation
 STOT SE 3: H336 – May cause drowsiness or dizziness
- Glossary by Road**
 ADR European Agreement concerning the International Carriage of Dangerous Goods
 IATA International Air Transport Association
 IMDG International Maritime Dangerous Goods
 PBT Persistent, bio accumulative, toxic
 RID Convention concerning International Carriage by Rail
 vPvB Very Persistent, Very Bio accumulative
 STOT Specific Target Organ Toxicity
 WEL Workplace Exposure Limit
- General Information**
 No relevant information available

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 8 of 9	

Further Information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. It is the user's responsibility to satisfy him/herself as to the suitability of such information for his /her own particular use.

Date of issue	23-03-2018	Revision No.	004	Issued by	S. Britton
Supersedes: Version 3: dated 23-03-2015		Document No.	DSS-CW03	Page 9 of 9	